

40000 liter tank i Rostfritt 304



242 000 SEK /st exkl moms

Volumetric volume (L): 40.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical



Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Agitator: yes

Number of revolutions: 470 / 960

Power: 1.8 / 8.4

Top: 4 mm

Cylinder: 3 mm

Bottom: 5 mm

Outer diameter tank: 2.800 mm

Total height of tank: 7.490 mm

SKU: 708178

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 40000

Utrustning

Dokument finns: Nei, det er det ikke.

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 7.490 mm

Ytterdiameter: 2.800 mm

Omrörare

Kraft (kW): 1.8 / 8.4

Varvtal: 470 / 960



Tjocklek på tank

Botten: 5 mm

Cylinder: 3 mm

Topp: 4 mm

Mer

Isolerad: Nej