

## 40000 liter tank i Rostfritt 304



**283,000,00 kr /st exkl moms**

**Additional information:** dairy; Small dents inside the tank; smaller dents in the insulation jacket; heating connections cut off; diameter manhole upper bottom 430 mm; pipe end cut flush

**Volumetric volume (L):** 40.000 L

**Pressure in tank:** ATM - atmosferic



**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** 65

**Agitator:** yes

**Number of revolutions:** 7.1 / 14.2

**Power:** 4.7 / 7.5

**Internal diameter tank:** 2.900 mm

**Outer diameter tank:** 3.090 mm

**Cylinder height:** 6.000 mm

**Total height of tank:** 8.700 mm

**SKU:** 271606

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: dairy; Small dents inside the tank; smaller dents in the insulation jacket; heating connections cut off; diameter manhole upper bottom 430 mm ; pipe end cut flush; we can't give any guarantees

Övrig information2: about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 40000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 6.000 mm

Invändig diameter: 2.900 mm

Total höjd: 8.700 mm

Ytterdiameter: 3.090 mm

**Omrörare**

Kraft (kW): 4.7 / 7.5

Varvtal: 7.114.2

**Mer**

Isolerad: Ja