

40000 liter tank i Rostfritt 304



272,000,00 kr /st exkl moms

Additional information: dairy; Small dents inside the tank; smaller dents in the insulation jacket; heating connections cut off; diameter manhole upper bottom 430 mm; pipe end cut flush

Volumetric volume (L): 40.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 65

Agitator: yes

Number of revolutions: 7.1 / 14.2

Power: 4.7 / 7.5

Internal diameter tank: 2.900 mm

Outer diameter tank: 3.090 mm

Cylinder height: 6.000 mm

Total height of tank: 8.700 mm

SKU: 271606

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: dairy; Small dents inside the tank; smaller dents in the insulation jacket; heating connections cut off; diameter manhole upper bottom 430 mm ; pipe end cut flush; we can't give any guarantees

Övrig information2: about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 40000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 6.000 mm

Invändig diameter: 2.900 mm

Total höjd: 8.700 mm

Ytterdiameter: 3.090 mm

Omrörare

Kraft (kW): 4.7 / 7.5

Varvtal: 7.1 / 14.2

Mer

Isolerad: Ja