40000 liter tank i Rostfritt 304



225 000 SEK /st exkl moms

Volumetric volume (L): 40.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: horizontal

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: pipe end Ø appr. 65mm
Agitator: yes

Number of revolutions: 480 / 980
Power: 1.1 / 4
Outer diameter tank: 3.000 mm
Total height of tank: 4.500 mm
Total outer length: 6.300 mm

Empty weight tank: 3.500

SKU: 567911

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: food; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 40000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 4.500 mm
Ytterdiameter: 3.000 mm

Omrörare

Kraft (kW): 1.1 / 4
Varvtal: 480 / 980

Mer
Isolerad: Nej
Vikt: 3.500

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se