40000 liter tank i Rostfritt 304



281 000 SEK /st exkl moms

Additional information: Frame reinforced with concrete (see pictures)
Volumetric volume (L): 40.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: available
Agitator: yes
Top: 4,50 mm
Cylinder: 2,50 mm
Bottom: 3 mm

Outer diameter tank: 3.050 mm
Cylinder height: 6.000 mm
Total height of tank: 8.300 mm
Empty weight tank: 12.000

SKU: 567599

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Food; Frame reinforced with concrete (see pictures); we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 40000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 6.000 mm
Total höjd: 8.300 mm
Ytterdiameter: 3.050 mm

Tjocklek på tank

Botten: 3 mm
Cylinder: 2,50 mm
Topp: 4,50 mm

Mer
Isolerad: Ja
Vikt: 12.000