

40000 liter tank i Rostfritt 304



279 000 SEK /st exkl moms

Additional information: Food; Frame reinforced with concrete (see pictures)

Volumetric volume (L): 40.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Agitator: yes

Top: 4,50 mm

Cylinder: 2,50 mm

Bottom: 3 mm

Outer diameter tank: 3.050 mm

Cylinder height: 6.000 mm

Total height of tank: 8.300 mm

Empty weight tank: 12.000

SKU: 567599

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Food; Frame reinforced with concrete (see pictures); we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 40000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 6.000 mm

Total höjd: 8.300 mm

Ytterdiameter: 3.050 mm

Tjocklek på tank

Botten: 3 mm

Cylinder: 2,50 mm

Topp: 4,50 mm

Mer

Isolerad: Ja

Vikt: 12.000
