

41000 liter tank i Rostfritt 304



230 000 SEK /st exkl moms

Additional information: Brewery; 1 manhole approx. 300 x 385 mm in the front bottom, 4 loose bearing shells, Fe with 2 height-adjustable feet each, Fe (height-adjustable screws partly no longer available; 1 tank with small dents in the cylinder and a dent in the front bottom in the outlet area

Volumetric volume (L): 41.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: horizontal

Configuration: single jacketed with heat-exchanger
Heat exchanger: yes
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: DN65 DIN 11851

Cylinder: 2,90 mm
Bottom: 2,80 mm
Outer diameter tank: 2.710 mm
Total outer length: 8.100 mm
Empty weight tank: 2.875

SKU: 315098

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Brewery; 1 manhole approx. 300 x 385 mm in the front bottom, 4 loose bearing shells, Fe with 2 height-adjustable feet each, Fe (height-adjustable screws partly no longer available; 1 tank with small

Övrig information2: dents in the cylinder and a dent in the front bottom in the outlet area

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 41000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Ytterdiameter: 2.710 mm

Tjocklek på tank

Botten: 2,80 mm

Cylinder: 2,90 mm

Mer

Isolerad: Nej

Vikt: 2.875
