

415 liter tank i Rostfritt 304



95,000,00 kr /st exkl moms

Article type: second-hand mixing tank

Additional information: Both were never used because the startup company never started actual production. This combination is ideal for producing a wide range of liquids/liquids with powders/thickeners, such as eggnog, hair gel, pharmaceutical creams, lip gloss, polymers, adhesives, praline, sauces, mayonnaise, etc. The seal is suitable for pressure applications, for example, to empty the contents under 2 bar.; we can't give any guarantees about the agitator

Volumetric volume (L): 415 L

Ra inner weld: 0,80

Pressure in tank: pressure



Max. pressure (Bar): 0,50 Bar
Max. temperature (°C): 134 °C
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Top type: dished
Shape of tank: cylindrical

Bottom type: dished
Total discharge: yes
Fixation points: 4 casters
Manway(s): RVS 304
Gasket manway(s): unknown

Suitable for food industry: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Number of manways: 1
Position of manway: at the top
Height manhole 1 (mm): 300 mm
Hinged lid: yes
Tank outlet: inside Ø 20 mm

Agitator: yes
Agitator type: disk agitator
Position engine: at the top
Number of revolutions: 2.935
Power: 5,50

Voltage: 380/660 V - three-phase
Current: 10.8/6.22
Distance from outlet to ground: 200 mm
Outer diameter tank: 750 mm

Cylinder height: 800 mm

Total height of tank: 2.250 mm

Total outer width: 890 mm

Total outer length: 1.050 mm

SKU: 192809

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 134 °C

Mobil tank: Nej

Övrig information: Both were never used because the startup company never started actual production. This combination is ideal for producing a wide range of liquids/liquids with powders/thickeners, such as eggnog,

Övrig information2:

Omrörare: Ja

Övertryck: 0,50 Bar

Ra innersvets: 0,80

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: dished

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 415

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 20 mm

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 800 mm

Mått utlopp till mariken: 200 mm

Total höjd: 2.250 mm

Ytterdiameter: 750 mm

Omrörare

Kraft (kW): 5,50

Position motor: at the top

Typ av omrörare: disk agitator

Varvtal: 2.935

Spänning (Volt): 380/660 V – three-phase

Mer

Isolerad: Nej