

## 415 liter tank i Rostfritt 304



**95,000,00 kr /st exkl moms**

**Article type:** second-hand mixing tank

**Additional information:** Both were never used because the startup company never started actual production. This combination is ideal for producing a wide range of liquids/liquids with powders/thickeners, such as eggnog, hair gel, pharmaceutical creams, lip gloss, polymers, adhesives, praline, sauces, mayonnaise, etc. The seal is suitable for pressure applications, for example, to empty the contents under 2 bar.; we can't give any guarantees about the agitator

**Volumetric volume (L):** 415 L

**Ra inner weld:** 0,80

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,50 Bar  
**Max. temperature (°C):** 134 °C  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical  
**Configuration:** single-skin

**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Top type:** dished  
**Shape of tank:** cylindrical

**Bottom type:** dished  
**Total discharge:** yes  
**Fixation points:** 4 casters  
**Manway(s):** RVS 304  
**Gasket manway(s):** unknown

**Suitable for food industry:** yes  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no

**Number of manways:** 1  
**Position of manway:** at the top  
**Height manhole 1 (mm):** 300 mm  
**Hinged lid:** yes  
**Tank outlet:** inside Ø 20 mm

**Agitator:** yes  
**Agitator type:** disk agitator  
**Position engine:** at the top  
**Number of revolutions:** 2.935  
**Power:** 5,50

**Voltage:** 380/660 V - three-phase  
**Current:** 10.8/6.22  
**Distance from outlet to ground:** 200 mm  
**Outer diameter tank:** 750 mm

**Cylinder height:** 800 mm

**Total height of tank:** 2.250 mm

**Total outer width:** 890 mm

**Total outer length:** 1.050 mm

**SKU:** 192809

---

Mer information

## Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 134 °C

Mobil tank: Nej

Övrig information: Both were never used because the startup company never started actual production. This combination is ideal for producing a wide range of liquids/liquids with powders/thickeners, such as eggnog,

Övrig information2:

Omrörare: Ja

Övertryck: 0,50 Bar

Ra innersvets: 0,80

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: dished

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 415

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 20 mm

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## **Dimensioner av tank**

Cylinderhöjd: 800 mm

Mått utlopp till mariken: 200 mm

Total höjd: 2.250 mm

Ytterdiameter: 750 mm

## **Omrörare**

Kraft (kW): 5,50

Position motor: at the top

Typ av omrörare: disk agitator

Varvtal: 2.935

Spänning (Volt): 380/660 V – three-phase

## **Mer**

Isolerad: Nej