

41700 liter tank i Rostfritt 304



360,000,00 SEK /st exkl moms

Additional information: The pressure tank has a heating/cooling jacket, but this is leaking in several places (see photos); defect heating jacket

Volumetric volume (L): 41.700 L

Pressure in tank: pressure

Max. pressure (Bar): 4 Bar

Max. temperature (°C): 165 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 1.170 L

Max Overpressure: 6 Bar

Max. working temperature: 165 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Agitator: yes

Internal diameter tank: 2.800 mm

Cylinder height: 5.098 mm

SKU: 570242

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 165 °C

Mobil tank: Nej

Övrig information: The pressure tank has a heating/cooling jacket, but this is leaking in several places (see photos); defect heating jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 4 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 41700

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 5.098 mm

Invändig diameter: 2.800 mm

Mer

Isolerad: Nej

