

4200 liter tank i Rostfritt 304



34 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 4.200 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: flat sloping

Total discharge: yes

Fixation points: 4 adjustable feet

Manway(s): RVS 304

Fixation point(s): painted steel

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Height manhole 1 (mm): 450 mm

Tank outlet: inside Ø 65 mm

Outlet type: DIN11851

Top: 3 mm

Cylinder: 2,50 mm

Bottom: 3 mm

Distance from outlet to ground: 750 mm

Outer diameter tank: 1.850 mm

Cylinder height: 1.575 mm

Total height of tank: 2.700 mm

Empty weight tank: 400

SKU: 59616

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: flat sloping
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 4200

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Tankutlopp: inside Ø 65 mm
Teknisk ritning finns: Nej
Utloppstyp: DIN11851

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): painted steel



Dimensioner av tank

Cylinderhöjd: 1.575 mm
Mått utlopp till marken: 750 mm
Total höjd: 2.700 mm
Ytterdiameter: 1.850 mm

Tjocklek på tank

Botten: 3 mm
Cylinder: 2,50 mm
Topp: 3 mm

Mer

Isolerad: Nej
Vikt: 400