

## 42200 liter tank i GAP/Plast



**96,000,00 kr /st exkl moms**

**Article type:** second-hand storage tank

**Volumetric volume (L):** 42.200 L

**Max. density P (kg/m<sup>3</sup>):** 1.300

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 30 °C

**Min. temperature (°C):** -20 °C

**Material wet parts:** polyester (fiberglass)

**Model:** vertical

**Configuration:** insulated



**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Top type:** dished

**Shape of tank:** cylindrical

**Bottom type:** flat

**Total discharge:** no

**Fixation points:** 6 attachment points

**Insulation material:** PUR

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** yes

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** cylinder

**Height manhole 1 (mm):** 600 mm

**Tank outlet:** outside Ø 100 mm

**Insulation top:** yes

**Insulation body:** yes

**Insulation thickness:** 30

**Tank capacity top cylinder:** 42.200 L

**Internal diameter tank:** 3.000 mm

**Distance from outlet to ground:** 500 mm

**Outer diameter tank:** 3.190 mm

**Total height of tank:** 6.260 mm

**Total outer width:** 3.190 mm

**Empty weight tank:** 3.000

**SKU:** 196460

---

Mer information

---