

## 42300 liter tank i Rostfritt 304



**254 000 SEK /st exkl moms**

**Additional information:** KZE-tank (fruit juice); Designed for specific weight 1,15 kg/dm<sup>3</sup> (at 0,99 bar) or specific weight 1,37 kg/dm<sup>3</sup> (pressureless); wall thickness cylinder: 1. & 2. cylinder section: 3,0 mm; rest cylinder: 2,5 mm; manhole 340 x 440 mm; cylinder outside marbled; 2 tanks with smaller dents

**Volumetric volume (L):** 42.300 L

**Pressure in tank:** pressure  
**Max. pressure (Bar):** 0,99 Bar  
**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical  
**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no

**Total discharge:** yes  
**Max Overpressure:** 0,99 Bar  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes

**Flange for agitator:** no  
**Position of manway:** cylinder  
**Outlet of tank:** DN65 DIN 11851  
**Top:** 3,50 mm  
**Bottom:** 5 mm

**Internal diameter tank:** 2.600 mm  
**Cylinder height:** 7.250 mm  
**Total height of tank:** 8.750 mm

**SKU:** 269215

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: KZE-tank (fruit juice); Designed for specific weight 1,15 kg/dm<sup>3</sup> (at 0,99 bar) or specific weight 1,37 kg/dm<sup>3</sup> (pressureless); wall thickness cylinder: 1. & 2. cylinder section: 3,0 mm; rest

Övrig information2: cylinder: 2,5 mm; manhole 340 x 440 mm; cylinder outside marbled; 2 tanks with smaller dents

Omrörare: Nej

Övertryck: 0,99 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 42300

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 7.250 mm

Invändig diameter: 2.600 mm

Total höjd: 8.750 mm

**Tjocklek på tank**

Botten: 5 mm

Topp: 3,50 mm

**Mer**

Isolerad: Nej