

425 liter tank i Rostfritt 304



237 000 SEK /st exkl moms

Additional information: metallic powder alloys; Technical documents available on request; Note: The overall dimensions given refer only to the actual powder mixer without taking into account the accessories

Volumetric volume (L): 425 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 60 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: no

Volume: 17 L

Max. working temperature: 60 °C

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Agitator: yes

Power: 15

Total height of tank: 2.200 mm

Total outer width: 1.800 mm

Total outer length: 1.950 mm

SKU: 272152

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 60 °C

Mobil tank: Nej

Övrig information: metallic powder alloys; Technical documents available on request; Note: The overall dimensions given refer only to the actual powder mixer without taking into account the accessories; we can't give

Övrig information2: any guarantees about the agitator

Omrörare: Ja

Total urtappning: Nej

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 425

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 2.200 mm

Omrörare

Kraft (kW): 15

Mer

Värmeväxlare: RVS 304

Isolerad: Nej