

## 425 liter tank i Rostfritt 304



**237 000 SEK /st exkl moms**

**Additional information:** metallic powder alloys; Technical documents available on request; Note: The overall dimensions given refer only to the actual powder mixer without taking into account the accessories

**Volumetric volume (L):** 425 L

**Pressure in tank:** ATM - atmospheric

**Max. temperature (°C):** 60 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** no

**Volume:** 17 L

**Max. working temperature:** 60 °C

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Agitator:** yes

**Power:** 15

**Total height of tank:** 2.200 mm

**Total outer width:** 1.800 mm

**Total outer length:** 1.950 mm

**SKU:** 272152

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 60 °C

Mobil tank: Nej

Övrig information: metallic powder alloys; Technical documents available on request; Note: The overall dimensions given refer only to the actual powder mixer without taking into account the accessories; we can't give

Övrig information2: any guarantees about the agitator

Omrörare: Ja

Total urtappning: Nej

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 425

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Total höjd: 2.200 mm

## Omrörare

Kraft (kW): 15

**Mer**

Värmeväxlare: RVS 304

Isolerad: Nej

---