

42610 liter tank i Rostfritt 304



308,000,00 kr /st exkl moms

Article type: second-hand storage tank

Additional information: Suction tube instead of a total drain, the previous product was ammonia

Volumetric volume (L): 42.610 L

Pressure in tank: pressure

Max. pressure (Bar): 2,60 Bar

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Wall type: dished

Total discharge: no

Manway(s): RVS 304

Fixation point(s): painted steel

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Tank outlet: inside Ø 60 mm

Tank location: outside

Agitator: no, optional

Top: 7 mm

Cylinder: 5 mm

Bottom: 7 mm

Outer diameter tank: 2.400 mm

Cylinder height: 8.900 mm

Total height of tank: 3.220 mm

Total outer length: 11.600 mm

Empty weight tank: 7.000

SKU: 299362

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Suction tube instead of a total drain, the previous product was ammonia

Omrörare: Nej

Övertryck: 2,60 Bar

Tankens form: cylindrical

Total urtappning: Nej

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 42610

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Tankutlopp: inside Ø 60 mm

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): painted steel

Dimensioner av tank

Cylinderhöjd: 8.900 mm
Total höjd: 3.220 mm
Ytterdiameter: 2.400 mm

Tjocklek på tank

Botten: 7 mm
Cylinder: 5 mm
Topp: 7 mm

Mer

Isolerad: Nej
Vikt: 7.000