440 liter tank i Rostfritt 304



44 000 SEK /st exkl moms

Additional information: Mobile tipping vessel (chassis made of mild steel (painted), tipping frame made of 1.4541 (stainless steel 304)); no bottom outlet; manhole diameter approx. 390 mm; 2 sight glasses in the upper bottom or manhole cover missing
Volumetric volume (L): 440 L
Pressure in tank: pressure

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Max. pressure (Bar): 0,50 Bar
Min. pressure (Bar): 0,50 Bar

Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: no
Volume: 65 L
Type HE on the cylinder: heating/cooling jacket
Heat exchanger: RVS 316

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: non-existent
Internal diameter tank: 770 mm
Outer diameter tank: 910 mm
Total height of tank: 1.780 mm

SKU: 398612

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single jacketed with heat-exchanger
Mobil tank: Nej
Övrig information: Pharmacy; Mobile tilting tank (mobile frames made of mild steel (lacquered), tilting frame made of 1.4541 (304)); no outlet in the lower bottom; manhole diameter approx. 390 mm; 2 sight glasses in
Övrig information2: the upper bottom or in the manhole cover are missing
Omrörare: Nej
Övertryck: 0,50 Bar
Total urtappning: Nej
Undertryck (vakuum): 0,50 Bar
Trycktank: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 440

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 770 mm
Total höjd: 1.780 mm
Ytterdiameter: 910 mm

Mer
Värmeväxlare: RVS 304
Isolerad: Nej