

## 44000 liter tank i Rostfritt 304



**218 000 SEK /st exkl moms**

**Additional information:** fruit juice industry; tank with smaller dents; manhole appr. 350 x 450 mm; second identical tank can potentially be made available upon request.

**Volumetric volume (L):** 44.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** DN50 DIN 11851

**Agitator:** yes

**Number of revolutions:** 17.5 / 36

**Power:** 5.0 / 7.8

**Internal diameter tank:** 3.000 mm

**Cylinder height:** 5.950 mm

**Total height of tank:** 8.100 mm

**Empty weight tank:** 4.000

**SKU:** 269827

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: fruit juice industry; tank with smaller dents; manhole appr. 350 x 450 mm; second identical tank can potentially be made available upon request.; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 44000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 5.950 mm

Invändig diameter: 3.000 mm

Total höjd: 8.100 mm

## Omrörare

Kraft (kW): 5.0 / 7.8

Varvtal: 17.5 / 36

**Mer**

Isolerad: Nej

Vikt: 4.000

---