

## 4500 liter tank i Rostfritt 304



**118,000,00 kr /st exkl moms**

**Additional information:** Milk; Double jacket with trickle ring - only suitable for pressureless cooling; a rectangular sheet was cut out of the double jacket (this sheet is located inside the tank; see photos); former connections partially cut off or welded shut

**Volumetric volume (L):** 4.500 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single jacketed with heat-exchanger  
**Heat exchanger:** yes  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket  
**Type HE on the cylinder:** heating/cooling jacket  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no

**Flange for agitator:** no  
**Position of manway:** headside  
**Outlet of tank:** DN100 DIN 11851  
**Agitator:** yes  
**Number of revolutions:** 24 / 49

**Power:** 1.2 / 2.2  
**Internal diameter tank:** 1.990 mm  
**Outer diameter tank:** 2.100 mm  
**Cylinder height:** 1.220 mm  
**Total height of tank:** 2.850 mm

**SKU:** 308983

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Milk; Double jacket with trickle ring – only suitable for pressureless cooling;

In the case of one tank, a rectangular sheet metal is cut out of the double jacket (this sheet is apparently inside

Övrig information2: the tank; see photos); former connections partially cut off or welded shut; small differences in the design of the two tanks; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 4500

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 1.220 mm

Invändig diameter: 1.990 mm

Total höjd: 2.850 mm

Ytterdiameter: 2.100 mm

**Omrörare**

Kraft (kW): 2,20

Varvtal: 17,80

**Mer**

Isolerad: Nej