

45000 liter tank i Syrafast 316



269 000 SEK /st exkl moms

Volumetric volume (L): 45.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN100 DIN 11851

Top: 2 mm

Cylinder: 2 mm

Bottom: 4 mm

Outer diameter tank: 3.000 mm

Cylinder height: 6.250 mm

Total height of tank: 7.650 mm

SKU: 703109

Mer information



Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosfäric
Konfiguration: single-skin
Mobil tank: Nej
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 45000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 6.250 mm
Total höjd: 7.650 mm
Ytterdiameter: 3.000 mm

Tjocklek på tank

Botten: 4 mm
Cylinder: 2 mm
Topp: 2 mm



Mer

Isolerad: Nej