

## 4600 liter tank i Rostfritt 304



**54 000 SEK /st exkl moms**

**Article type:** second-hand storage tank

**Volumetric volume (L):** 4.600 L

**Ra inner weld:** 0,80

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** horizontal

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes



**Mobile tank:** no

**Shape of tank:** cylindrical

**Total discharge:** yes

**Fixation points:** 6 non adjustable feet

**Insulation material:** PUR

**Outer jacket (ornamental wall):** RVS 304

**Manway(s):** RVS 304

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 440 mm

**Tank outlet:** inside Ø 50 mm

**Total outlet valve:** no

**Agitator:** no

**finish of the outer jacket:** welded

**Distance from outlet to ground:** 200 mm

**Outer diameter tank:** 1.500 mm

**Total height of tank:** 1.700 mm

**Total outer length:** 3.500 mm

**Empty weight tank:** 600

**SKU:** 57809

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja  
Material: Rostfritt 304  
Modell: Horisontell  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: ATM – atmosferic  
Konfiguration: insulated  
Mobil tank: Nej  
Omrörare: Nej  
Ra innersvets: 0,80  
Tankens form: cylindrical  
Total urtappning: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 4600

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø 50 mm  
Teknisk ritning finns: Nej  
Utloppsventil: Nej

### Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): RVS 304  
Isoleringsmaterial: PUR  
Ytterbeklädnad: RVS 304

## **Dimensioner av tank**

Mått utlopp till marken: 200 mm

Total höjd: 1.700 mm

Ytterdiameter: 1.500 mm

## **Tjocklek på ytterbeklädnad och isolering**

Finish utvändig mantel: welded

Isoleringsmaterial: PUR

## **Mer**

Isolerad: Ja

Vikt: 600