

4600 liter tank i Syrafast 316



64,000,00 kr /st exkl moms

Additional information: Pharmaceutical Chemistry; Manhole diameter appr. 585 mm; some residues of previous content

Volumetric volume (L): 4.600 L

Pressure in tank: ATM - atmosferic

Max. pressure (Bar): 0,20 Bar

Min. pressure (Bar): 0,46 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Max Overpressure: 0,20 Bar

Max onderdruk: 0,46 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 130

Internal diameter tank: 1.590 mm

Cylinder height: 1.800 mm

Total height of tank: 3.150 mm

SKU: 284137

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosfäric

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry ; Manhole diameter appr. 585 mm; some residues of previous content

Omrörare: Nej

Övertryck: 0,20 Bar

Total urtappning: Nej

Undertryck (vakuum): 0,46 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 4600

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.800 mm

Invändig diameter: 1.590 mm

Total höjd: 3.150 mm

Mer

Isolerad: Nej
