47200 liter tank i Rostfritt 304



262 000 SEK /st exkl moms

Additional information: Food
Volumetric volume (L): 47.200 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: available
Agitator: yes
Number of revolutions: 725 / 1465
Power: 3.5 / 12.5
Top: 4 mm

Bottom: 4 mm
Outer diameter tank: 3.200 mm
Cylinder height: 5.000 mm
Total height of tank: 6.620 mm
Empty weight tank: 2.500

SKU: 565427

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: food; we can’t give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 47200

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 5.000 mm
Total höjd: 6.620 mm
Ytterdiameter: 3.200 mm

Omrörare

Kraft (kW): 3.5 / 12.5
Varvtal: 725 / 1465

Tjocklek på tank
Botten: 4 mm
Topp: 4 mm

Mer
Isolerad: Nej
Vikt: 2.500

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se