


4800 liter tank i Rostfritt 304



342,000,00 kr /st exkl moms

Additional information: Cosmetics; 1 flanged outlet reduction (end DN 50 DIN 11851); 1 pallet with accessories is included in the scope of delivery (see photos; these parts were not taken into account in the stated total height)

Volumetric volume (L): 4.800 L

Pressure in tank: ATM - atmospheric

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Volume: 220 L
Max Overpressure: 3 Bar

Max onderdruk: 1 Bar
Max. working temperature: 150 °C
Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Heat exchanger: RVS 304

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: flange DN100
Number of revolutions: 1.450
Power: 15
Top: 7 mm
Cylinder: 11 mm

Bottom: 8,60 mm
Internal diameter tank: 1.800 mm
Outer diameter tank: 1.950 mm
Cylinder height: 1.400 mm
Total height of tank: 2.900 mm

SKU: 310340

Mer information
