4800 liter tank i Syrafast 316



65 000 SEK /st exkl moms

Additional information: Food industry; some residues of previous content
Volumetric volume (L): 4.800 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 100 °C

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: 60
Agitator: yes

Number of revolutions: 135
Power: 2,20
Internal diameter tank: 1.900 mm
Cylinder height: 1.490 mm
Total height of tank: 3.400 mm

SKU: 488616

Mer information

Beskrivning av produkt

Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Max. arbetstemperatur: 100 °C
Mobil tank: Nej
Övrig information: Food industry; some residues of previous content; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Volym i liter: 4800

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Dimensioner av tank

Cylinderhöjd: 1.490 mm
Invändig diameter: 1.900 mm
Total höjd: 3.400 mm

Omrörare

Kraft (kW): 2,20
Varvtal: 135

Mer

Isolerad: Nej

Rodervägen 57
891 78 Bonässund
info@processoverskott.se