

4820 liter tank i Rostfritt 304



66 000 SEK /st exkl moms

Additional information: brewery; feet currently screwed onto a height-adjustable base (see photos); diameter manhole 430 mm; 1 small dent in the lower bottom

Volumetric volume (L): 4.820 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Agitator: yes

Number of revolutions: 58.117

Power: 1,11

Internal diameter tank: 1.700 mm

Cylinder height: 2.000 mm

Total height of tank: 3.700 mm

SKU: 271624

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: brewery; feet currently screwed onto a height-adjustable base (see photos); diameter manhole 430 mm; 1 small dent in the lower bottom; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 4820

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.700 mm

Total höjd: 3.700 mm

Omrörare

Kraft (kW): 1,11

Varvtal: 58.117

Mer

Isolerad: Nej
