50 liter tank i Rostfritt 304



27 000 SEK /st exkl moms

Additional information: Outlet 1 1/4 "
Volumetric volume (L): 50 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Top type: open

Total discharge: no
Fixation points: 3 non adjustable feet
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Internal diameter tank: 400 mm
Cylinder height: 450 mm
Total height of tank: 800 mm
Empty weight tank: 35

SKU: 409973

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmospheric
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: outlet 1 1/4 "
Omrörare: Nej
Total urtappning: Yes
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 50

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 450 mm
Invändig diameter: 400 mm
Total höjd: 800 mm

Mer

Isolerad: Nej
Vikt: 35

Rodervägen 57
891 78 Bonässund
info@processoverskott.se