500 liter tank i Rostfritt 304



31 000 SEK /st exkl moms

item available on order

Article type: brand new storage tank - type VT-SLO
Volumetric volume (L): 500 L
Max. density P (kg/m³): 1.000
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 60 °C

Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Shape of tank: cylindrical
Bottom type: conical
Total discharge: yes
Fixation points: 3 non adjustable feet

Fixation point(s): RVS 304
Suitable for food industry: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
CIP spray ball: no
Outlet type: BSP MALE
Total outlet valve: no
Agitator: no

Internal diameter tank: 950 mm
Distance from outlet to ground: 250 mm
Outer diameter tank: 990 mm
Cylinder height: 710 mm
Total height of tank: 1.200 mm

Empty weight tank: 50

SKU: 377270

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Nytillverkad
Arbetstryck i tank: ATM – atmospheric
Konfiguration: single-skin
Max. arbetstemperatur: 60 °C
Maximal densitet för produkten: 1000
Mobil tank: Nej
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Yes
Typ av botten: conical
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Teknisk ritning finns: Nej
Utloppstyp: BSP MALE
Utloppsventil: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Dimensioner av tank

Cylinderhöjd: 710 mm
Invändig diameter: 950 mm
Mått utlopp till marken: 250 mm
Total höjd: 1.200 mm
Ytterdiameter: 990 mm

Mer

Isolerad: Nej
Vikt: 50