

500 liter tank i Rostfritt 304



18 000 SEK /st exkl moms

Additional information: Limescale protection granulate; Tank cover only covers about half of the tank, the rest is open (1 open pipe connection diameter about 210 mm in the welded cover segment; see photos); some residues of previous content

Volumetric volume (L): 500 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.000 mm
Cylinder height: 520 mm
Total height of tank: 1.200 mm

SKU: 412517

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Limescale protection granulate; Tank cover only covers about half of the tank, the rest is open (1 open pipe connection diameter about 210 mm in the welded cover segment; see photos) ; some

Övrig information2: residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 520 mm

Invändig diameter: 1.000 mm

Total höjd: 1.200 mm

Mer

Isolerad: Nej

