# 500 liter tank i Rostfritt 304



36 000 SEK /st exkl moms

**Additional information**: Tanks loose on stainless steel 304 racks (different rack designs, some screwed together; see photos); 1 hand hole each approx. 190 x 240 mm in the front base (plastic hand hole cover)
**Volumetric volume (L)**: 500 L
**Pressure in tank**: pressure
**Max. pressure (Bar)**: 3 Bar

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

**Min. pressure (Bar)**: 3 Bar

**Material wet parts**: SS AISI 304 (V2A)
**Model**: horizontal
**Configuration**: single-skin
**Heat exchanger**: no
**Insulation**: no

**Mobile tank**: no
**Total discharge**: yes
**Documents included**: no
**Technical drawing included**: no
**Registration plate on the tank**: yes

**Flange for agitator**: no
**Outlet of tank**: 35
**Internal diameter tank**: 620 mm
**Total outer length**: 1.850 mm
**Empty weight tank**: 550

**SKU:** 428615

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Brewery; Tanks loose on frames, Aisi 304 (different versions of the frames, some screwed together; see photos); 1 hand hole each approx. 190 x 240 mm in the front bottom (plastic hand hole cover)
Omrörare: Nej
Övertryck: 3 Bar
Total urtappning: Ja
Undertryck (vakuum): 3 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 500

## Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 620 mm

**Mer**
Isolerad: Nej
Vikt: 550

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se