500 liter tank i Rostfritt 304



36 000 SEK /st exkl moms

Additional information: Tanks placed loosely on stainless steel 304 racks (various rack designs—see photos); 1 access hole, approx. 190 x 240 mm, in the front bottom of each tank (plastic access hole cover); 1 tank with 1 dent in the cylinder
Volumetric volume (L): 500 L
Pressure in tank: pressure

Max. pressure (Bar): 3 Bar
Min. pressure (Bar): 3 Bar

Material wet parts: SS AISI 304 (V2A)
Model: horizontal
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Outlet of tank: 45
Internal diameter tank: 785 mm
Total outer length: 1.300 mm

SKU: 429095

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Brewery; Tanks loose on frames, Aisi 304 (different versions of the frames, some screwed together; see photos); 1 hand hole each approx. 190 x 240 mm in the front bottom (plastic hand hole cover)
Övrig information2: dent in the cylinder
Omrörare: Nej
Övertryck: 3 Bar
Total urtappning: Ja
Undertryck (vakuum): 3 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 785 mm

Mer
Isolerad: Nej