500 liter tank i Rostfritt 304



41 000 SEK /st exkl moms

Additional information: Hand hole diameter: approx. 140mm with sight glass
Volumetric volume (L): 500 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: horizontal

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: DN25 DIN 11851

Agitator: yes
Number of revolutions: 700
Power: 0,55
Internal diameter tank: 796 mm
Total height of tank: 1.570 mm

Total outer width: 800 mm
Total outer length: 1.600 mm

SKU: 434747

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Hand hole diameter: approx. 140mm with sight glass; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 796 mm
Total höjd: 1.570 mm

Omrörare

Kraft (kW): 0,55
Varvtal: 700

Mer
Isolerad: Nej