

500 liter tank i Rostfritt 304



45,000,00 SEK /st exkl moms

Additional information: Cosmetics; 2 semicircular openings in the upper bottom (1 x stainless steel 304 cover; 1 x plastic cover); some residues of previous content

Volumetric volume (L): 500 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 50

Internal diameter tank: 940 mm

Outer diameter tank: 1.100 mm

Cylinder height: 790 mm

Total height of tank: 1.650 mm

SKU: 490707

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Cosmetics; 2 semicircular openings in the upper bottom (1 x stainless steel 304 cover; 1 x plastic cover); some residues of previous content; we can't give any guarantees about the heating/cooling

Övrig information2: jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 790 mm

Invändig diameter: 940 mm

Total höjd: 1.650 mm

Ytterdiameter: 1.100 mm

Mer

Isolerad: Ja
