

## 500 liter tank i Rostfritt 304



**39,000,00 SEK /st exkl moms**

**Additional information:** Food; Manhole diameter approx. 445 mm; 1 small dent in the insulation jacket; 1 connection in the cylinder was welded shut by the previous operator (see photos)

**Volumetric volume (L):** 500 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** available

**Internal diameter tank:** 790 mm

**Outer diameter tank:** 940 mm

**Cylinder height:** 1.000 mm

**Total height of tank:** 1.200 mm

**SKU:** 627560

## Mer information



## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Food; Manhole diameter approx. 445 mm; 1 small dent in the insulation jacket; 1 connection in the cylinder was welded shut by the previous operator (see photos)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 790 mm

Total höjd: 1.200 mm

Ytterdiameter: 940 mm

## Mer

Isolerad: Ja