500 liter tank i Rostfritt 304



21 000 SEK /st exkl moms

Additional information: Frame made of V2A; cone height approx. 800 mm; 4 containers are missing their manhole covers and clamping rings (1 container is also missing its disc valve); traces of usage
Volumetric volume (L): 500 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: 250
Total height of tank: 1.510 mm
Total outer width: 1.200 mm
Total outer length: 800 mm

SKU: 740251

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Frame made of V2A; cone height approx. 800 mm; 4 containers are missing their manhole covers and clamping rings (1 container is also missing its disc valve) ; traces of usage
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 1.510 mm

Mer

Isolerad: Nej