500 liter tank i Rostfritt 304



29 000 SEK /st exkl moms

Additional information: chemistry; Vessels with differences in design (e.g. agitator and number of turns of the solid tube coil; see photos); some residues of previous content
Volumetric volume (L): 500 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: available

Agitator: yes
Number of revolutions: 78
Power: 0,37
Internal diameter tank: 900 mm
Cylinder height: 850 mm

Total height of tank: 1.550 mm

SKU: 393263

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single jacketed with heat-exchanger
Mobil tank: Nej
Övrig information: chemistry; tanks with differences in design (e. g. stirring elements and the number of windings of the heating coil; see pictures); some residues of previous content; we can't give any guarantees
Övrig information2: about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 850 mm
Invändig diameter: 900 mm
Total höjd: 1.550 mm

Omrörare

Kraft (kW): 0,37
Varvtal: 78

Mer
Isolerad: Nej