

500 liter tank i Rostfritt 304



28 000 SEK /st exkl moms

Additional information: chemistry; tanks with differences in design (e. g. stirring elements and the number of windings of the heating coil; see pictures); some residues of previous content

Volumetric volume (L): 500 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 78

Power: 0,37

Internal diameter tank: 900 mm

Cylinder height: 850 mm

Total height of tank: 1.550 mm

SKU: 393263

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: chemistry; tanks with differences in design (e. g. stirring elements and the number of windings of the heating coil; see pictures); some residues of previous content; we can't give any guarantees

Övrig information2: about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 850 mm

Invändig diameter: 900 mm

Total höjd: 1.550 mm

Omrörare

Kraft (kW): 0,37

Varvtal: 78

Mer

Isolerad: Nej
