

500 liter tank i Syrafast 316



31 000 SEK /st exkl moms

Additional information: Pharmacy

Volumetric volume (L): 500 L

Pressure in tank: ATM - atmosferic

Max. pressure (Bar): 2 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN32 DIN 11851

Internal diameter tank: 790 mm

Total height of tank: 1.900 mm

SKU: 485999

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: pressure
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: pharmacy
Omrörare: Nej
Övertryck: 2 Bar
Total urtappning: Ja
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 790 mm
Total höjd: 1.900 mm

Mer

Isolerad: Nej