

500 liter tank i Syrafast 316



71 000 SEK /st exkl moms

Additional information: 5 more identical vessels available on request

Volumetric volume (L): 500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: available

Top: 2,50 mm

Cylinder: 2,50 mm

Bottom: 2,50 mm

Internal diameter tank: 750 mm

Cylinder height: 990 mm

Total height of tank: 1.610 mm

Empty weight tank: 120

SKU: 490740

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 5 more identical vessels available on request

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 990 mm

Invändig diameter: 750 mm

Total höjd: 1.610 mm

Tjocklek på tank

Botten: 2,50 mm

Cylinder: 2,50 mm

Topp: 2,50 mm



Mer

Isolerad: Nej

Vikt: 120