

## 500 liter tank i Syrafast 316



**52,000,00 kr /st exkl moms**

**Additional information:** Pharmacy; Slight differences in the design of the tanks, e.g. 2 tank moveable on rollers, the rest on a fixed frame, Aisi 304; Max. pressure 3 bar in some cases; Differences in the connections in the manhole cover; Total height partly lower (depending on the connections in the manhole cover)

**Volumetric volume (L):** 500 L

**Pressure in tank:** pressure  
**Max. pressure (Bar):** 2,50 Bar  
**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical  
**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no

**Total discharge:** yes  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no

**Position of manway:** headside  
**Outlet of tank:** available  
**Internal diameter tank:** 800 mm  
**Total height of tank:** 1.780 mm

**SKU:** 279760

## Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Slight differences in the design of the tanks, e.g. 1 tank moveable on rollers, the rest on a fixed frame, Aisi 304; Max. pressure 3 bar in some cases; Differences in the connections in

Övrig information2: the manhole cover; Total height partly lower (depending on the connections in the manhole cover)

Omrörare: Nej

Övertryck: 2.50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Invändig diameter: 800 mm

Total höjd: 1.780 mm

**Mer**

Isolerad: Nej

---