

## 5000 liter tank i Rostfritt 304



**60 000 SEK /st exkl moms**

**Additional information:** Cip tank in the beverage industry; Manhole diameter approx. 390 mm; 1 overflow pipe and short pipes from external connections inside the vessel (see photos); 2 height-adjustable dome screws of the feet missing; some residues of previous content

**Volumetric volume (L):** 5.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** headside

**Outlet of tank:** DN50 DIN 11851  
**Internal diameter tank:** 1.240 mm  
**Cylinder height:** 4.000 mm  
**Total height of tank:** 4.750 mm

**SKU:** 274216

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cip tank in the beverage industry; Manhole diameter approx. 390 mm; 1 overflow pipe and short pipes from external connections inside the tank (see photos); 2 height-adjustable screws of the feet are

Övrig information2: missing; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 4.000 mm

Invändig diameter: 1.240 mm

Total höjd: 4.750 mm

## Mer

Isolerad: Nej

