5000 liter tank i Rostfritt 304



62 000 SEK /st exkl moms

Additional information: Food industry; Small dents in the cylinder / top floor transition; Manhole cover toggle no longer present; some residues of previous content
Volumetric volume (L): 5.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.990 mm
Cylinder height: 1.490 mm
Total height of tank: 2.650 mm
Empty weight tank: 750

SKU: 400736

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Food industry; Small dents in the cylinder / top floor transition; Manhole cover toggle no longer present ; some residues of previous content
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 5000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.490 mm
Invändig diameter: 1.990 mm
Total höjd: 2.650 mm

Mer

Isolerad: Nej
Vikt: 750

Rodervägen 57
891 78 Bonässund
info@processoverskott.se