

## 5000 liter tank i Rostfritt 304



**61 000 SEK /st exkl moms**

**Additional information:** Paint industry; 1 Piping inside the vessels; stronger buildup inside

**Volumetric volume (L):** 5.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** flange DN80

**Agitator:** yes

**Number of revolutions:** 100 / 200

**Power:** 4.7 / 5.9

**Internal diameter tank:** 1.540 mm

**Cylinder height:** 2.500 mm

**Total height of tank:** 4.600 mm

**SKU:** 279931

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Paint industry; 1 pipe inside the tanks; stronger adhesions inside; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 2.500 mm

Invändig diameter: 1.540 mm

Total höjd: 4.600 mm

## Omrörare

Kraft (kW): 4.7 / 5.9

Varvtal: 100 / 200

**Mer**

Isolerad: Nej

---