

## 5000 liter tank i Rostfritt 304



**98 000 SEK /st exkl moms**

**Additional information:** Agriculture; Sheet metal cut-out in the insulating jacket of the lower floor (Fe plate underneath); bump at the insulation jacket; scratches inside; Functionality of the double jacket not checked

**Volumetric volume (L):** 5.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** DN80 DIN 11851

**Agitator:** yes

**Number of revolutions:** 6.8 / 14

**Power:** 2.6 / 4.4

**Internal diameter tank:** 1.900 mm

**Outer diameter tank:** 2.050 mm

**Cylinder height:** 1.800 mm

**Total height of tank:** 3.650 mm

**SKU:** 284248

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Agriculture; Sheet metal cutout in the insulation jacket of the lower floor (underneath Fe plate); bump at the insulation jacket;scratches inside;Functionality of the double jacket not checked; we

Övrig information2: can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.800 mm

Invändig diameter: 1.900 mm

Total höjd: 3.650 mm

Ytterdiameter: 2.050 mm



## Omrörare

Kraft (kW): 2.6 / 4.4

Varvtal: 6.8 / 14

## Mer

Isolerad: Ja