

## 5000 liter tank i Rostfritt 304



**69 000 SEK /st exkl moms**

**Additional information:** Stainless steel 304 frame (currently 4 wooden blocks are screwed underneath; see photos); manhole approx. 345 x 440 mm; some residues of previous content

**Volumetric volume (L):** 5.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** yes

**Position of manway:** cylinder

**Outlet of tank:** 80

**Internal diameter tank:** 1.440 mm

**Cylinder height:** 3.000 mm

**Total height of tank:** 3.500 mm

**SKU:** 287159

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Frame, Aisi 304 (currently 4 wooden blocks are screwed under; see photos);

Manhole approx. 345 x 440 mm ; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 1.440 mm

Total höjd: 3.500 mm

## Mer

Isolerad: Nej