

5000 liter tank i Rostfritt 304



65,000,00 kr /st exkl moms

Additional information: Detergents; Manhole cylinder appr. 310 x 440 mm; Height-adjustable screws of the feet are no longer available; screwed-on plastic fitting on the outlet (see photos); Device for level indicator outside (no longer complete); some residues of previous content

Volumetric volume (L): 5.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: 50

Internal diameter tank: 1.580 mm
Cylinder height: 2.500 mm
Total height of tank: 3.650 mm
Empty weight tank: 750

SKU: 286739

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Detergents; Manhole cylinder appr. 310 x 440 mm; Height-adjustable screws of the feet are no longer available; screwed-on plastic fitting on the outlet (see photos); Device for level indicator

Övrig information2: outside (no longer complete); some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.500 mm

Invändig diameter: 1.580 mm

Total höjd: 3.650 mm

Mer

Isolerad: Nej

Vikt: 750