

5000 liter tank i Rostfritt 304



64 000 SEK /st exkl moms

Additional information: Vegetable oil; some residues of previous content

Volumetric volume (L): 5.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN40 DIN 11851

Internal diameter tank: 1.490 mm

Cylinder height: 2.500 mm

Total height of tank: 3.700 mm

Empty weight tank: 750

SKU: 292819

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Vegetable oil; some residues of previous content
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 5000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.500 mm
Invändig diameter: 1.490 mm
Total höjd: 3.700 mm

Mer

Isolerad: Nej
Vikt: 750