

5000 liter tank i Rostfritt 304



214,000,00 kr /st exkl moms

Article type: second-hand mixing tank

Additional information: we can't give any guarantees about the agitator

Volumetric volume (L): 5.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304L (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Shape of tank: rectangular

Total discharge: no

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Tank outlet: inside Ø

Outlet type: DIN2576

Outlet of tank: 100

Agitator: yes

Power: 35

Voltage: 400 V - three-phase

Distance from outlet to ground: 460 mm

Total height of tank: 2.400 mm

Total outer width: 1.600 mm

Total outer length: 4.400 mm

Empty weight tank: 2.000

SKU: 295784

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Horisontell
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: we can't give any guarantees about the agitator
Omrörare: Ja
Tankens form: rectangular
Total urtappning: Nej
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304L (V2A)
Volym i liter: 5000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Tankutlopp: inside Ø
Teknisk ritning finns: Nej
Utloppstyp: DIN2576

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Mått utlopp till marken: 460 mm
Total höjd: 2.400 mm

Omrörare

Kraft (kW): 35
Spänning (Volt): 400 V – three-phase

Mer

Isolerad: Nej

Vikt: 2.000
