

## 5000 liter tank i Rostfritt 304



**211 000 SEK /st exkl moms**

**Article type:** second-hand mixing tank

**Additional information:** we can't give any guarantees about the agitator

**Volumetric volume (L):** 5.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304L (V2A)

**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no



**Mobile tank:** no

**Shape of tank:** rectangular

**Total discharge:** no

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Tank outlet:** inside Ø

**Outlet type:** DIN2576

**Outlet of tank:** 100

**Agitator:** yes

**Power:** 35

**Voltage:** 400 V - three-phase

**Distance from outlet to ground:** 460 mm

**Total height of tank:** 2.400 mm

**Total outer width:** 1.600 mm

**Total outer length:** 4.400 mm

**Empty weight tank:** 2.000

**SKU:** 295784

Mer information



## Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: we can't give any guarantees about the agitator

Omrörare: Ja

Tankens form: rectangular

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304L (V2A)

Volym i liter: 5000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Tankutlopp: inside Ø

Teknisk ritning finns: Nej

Utloppstyp: DIN2576

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Mått utlopp till marken: 460 mm

Total höjd: 2.400 mm

## Omrörare

Kraft (kW): 35

Spänning (Volt): 400 V – three-phase

**Mer**

Isolerad: Nej

Vikt: 2.000

---