

5000 liter tank i Rostfritt 304



46 000 SEK /st exkl moms

Article type: second-hand pressure tank

Additional information: Legs are missing, new welded stainless steel legs = 950€

Volumetric volume (L): 5.000 L

Pressure in tank: pressure

Max. pressure (Bar): 0,49 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Manway(s): RVS 304

Gasket manway(s): unknown

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 405 mm x H 305 mm

Tank outlet: inside Ø 50 mm

Outlet type: din

Total outlet valve: no

Top: 3 mm

Cylinder: 2,50 mm

Bottom: 3 mm

Outer diameter tank: 2.950 mm

Cylinder height: 1.600 mm

Total height of tank: 2.100 mm

Empty weight tank: 350

SKU: 92794

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: pressure
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Legs are missing, new welded stainless steel legs = 950€
Omrörare: Nej
Övertryck: 0,49 Bar
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: dished
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 5000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 50 mm
Teknisk ritning finns: Nej
Utloppstyp: din
Utloppsventil: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.600 mm
Total höjd: 2.100 mm
Ytterdiameter: 2.950 mm

Tjocklek på tank

Botten: 3 mm
Cylinder: 2,50 mm
Topp: 3 mm

Mer

Isolerad: Nej
Vikt: 350